


PART NUMBER	DESCRIPTION	QTY.
CCS-EBC018	IFM 6 PORT WIRING BLOCK W/ 5m CABLE - BLACK	1
E-HFI-232	5 PORT PNEUMATIC SOLENOID BANK - 24V	1
P-2002	3/8"-16 SS NYLON LOCK NUT	4
P-AIR-2039	1/2" MNPT X 1/2" QUICK CONNECT ADAPTER-LIQUIFIT	2
P-AIR-2089	1/2" QUICK CONNECT "Y" UNION-LIQUIFIT	1
P-AIR-2106	1/2" MNPT X 1/2" QUICK CONNECT ELBOW SWIVEL-LIQUIFIT	2
P-AIR-2109	1/4 MNPT X 1/4 TUBE 90 SWIVEL PVC AIR FITTING	3
P-AIR-2154	1/4" OD POLYETHELENE TUBE, 100 PSI WP, 1000 FT REELS- BLACK -PRICED PER FOOT	15'
P-AIR-2166	ARG40-N04G2H-Z MASTER AIR REGULATOR	1
P-AIR-2170	1/4" QUICK CONNECT X 1/8" MNPT ELBOW	1
P-S-0819	AIO - ASCO TO ANGLE BODY VALVE BRACKET	1
P-SE-2000	1" MNPT X 1" HOSE BARB- SS	1
P-SE-2120	1" MNPT X 1" BARB PVC	1
P-SE-POD-114	TURCK SINGLE LEG CABLE 0.6" HEAD	5
P-SPL-2129	1" PARKER GENERAL SERVICE AIR AND WATER HOSE, 200 PSI	100'
P-SS-1024	8-32 X 1-1/2" PHILLIPS 18-8 SS	7
P-SS-1025	#8-32 GRADE 18-8 NM SS NYLON INSERT LOCK NUT	7
P-SS-1043	3/8" 18-8 SMALL OD FLAT WASHER, SS	4
P-SS-1070	#8 18-8 SMALL OD FLAT WASHER, SS	7
P-WAT-2246	1-1/2" CLOSE NIPPLE - SS SCH. 40	1
P-WAT-2309	1-1/2" MNPT X 1-1/2" HOSE BARB, 304SS	1
P-WAT-2311	1-1/2" PARKER EZ FORM GENERAL SERVICE HOSE-SOLD IN 25' SPOOLS	25'
P-WAT-2330	1" MNPT STREET TEE	1
P-WAT-2333	1" CLOSE NIPPLE SS SCH. 80	1
P-WAT-2374	2" CLOSE NIPPLE -SS	3
P-WAT-2389	2" MNPT X 1" FNPT REDUCING BUSHING - SS	3
P-WAT-2397	ANGLE BODY PISTON VALVE, 1" NPT, BRONZE	1
P-WAT-2418	STAINLESS STEEL T-BOLT CLAMPS FOR 1" HOSE	2
P-WAT-2461	HIGH TEMP 200° 240 PSI 1/2" POLY TUBING (SOLD PER FOOT)	55'
P-WAT-2532	LOW-PRESSURE, TEE CONNECTOR, 1-1/2 NPT FEMALE	1
P-WAT-2590	2" MPNT X 1-1/2" FNPT REDUCER BUSHING-SS	1
P-WAT-2668	1" MNPT HOSE X 1" BARB ELBOW 90°, SS	3
P-WAT-2669	1 1/2" MNPT X 1 1/2" BARB ELBOW 90, SS	1
P-WAT-2803	SQUARE U-BOLT 3/8"-16 THREAD, 3" INSIDE WIDTH, 4-5/8" HIGH, SS	2
P-WAT-2816	ANGLE BODY PISTON VALVE, 2" NPT, BRONZE	3
P-WAT-2917	1" FNPT TEE - SCH. 80 PVC	1
P-WAT-3026	1" PIPE STRUT-MOUNT METAL ROUTING CLAMP	15
P-WAT-3136	CAM-AND-GROOVE HOSE COUPLING SIZE 2, 2" NPT MALE	3
P-WAT-3152	1" MNPT X 1/2" FNPT REDUCING BUSHING, SCH 40 PVC	2
P-WAT-3291	2" FEMALE CAM LOCK (TYPE D), 2" FNPT, SS	3
P-WAT-3293	1" MALE CAM LOCK (TYPE F), 1" MNPT, SS	1
P-WAT-3760	1" FEMALE CAM LOCK (TYPE D), 1" FNPT, SS	1

 648 South Point Ridge, Holland, MI 49423 616-494-0771-tommycarwash.com			PART NUMBER:		P-SE-2618		REV.	
			DESCRIPTION:					1
	DIMENSIONS: UNLESS STATED OTHERWISE: ALL DIMENSIONS ARE IN INCHES TOLERANCES: X:± 0.1 XX:± 0.01 XXX:± 0.005 ANGLE:± 0.5			MATERIAL:	GA:	FINISH:		
				MISC				
				DRAWN BY:		DATE:		
CONFIDENTIAL WARNING: THIS SHEET CONTAINS AND CONSTITUTES CONFIDENTIAL INFORMATION, IMAGES AND TRADE SECRETS OF TOMMY CAR WASH SYSTEMS. ANY UNAUTHORIZED USE OR PORTION THEREOF, IS STRICTLY PROHIBITED. THIS WORK IS THE EXCLUSIVE PROPERTY OF TOMMY CAR WASH SYSTEMS. ALL RIGHTS RESERVED			APPROVED BY:		DATE:			
	1	INITIAL RELEASE	6/10/2026	SCALE		SHEET		
	NO.	REVISION/ISSUE	DATE	1:10		1 OF 4		

PREBLAST


PART NUMBER	DESCRIPTION	QTY.
P-AIR-2109	1/4 MNPT X 1/4 TUBE 90 SWIVEL PVC AIR FITTING	1
P-WAT-2374	2" CLOSE NIPPLE -SS	1
P-WAT-2389	2" MNPT X 1" FNPT REDUCING BUSHING - SS	1
P-WAT-2668	1" MNPT HOSE X 1" BARB ELBOW 90°, SS	1
P-WAT-2816	ANGLE BODY PISTON VALVE, 2" NPT, BRONZE	1
P-WAT-3136	CAM-AND-GROOVE HOSE COUPLING SIZE 2, 2" NPT MALE	1
P-WAT-3291	2" FEMALE CAM LOCK (TYPE D), 2" FNPT, SS	1



ALL THREADED CONNECTIONS MUST HAVE TAPE AND THREAD SEALANT


BELT FLUSH

PART NUMBER	DESCRIPTION	QTY.
P-AIR-2109	1/4 MNPT X 1/4 TUBE 90 SWIVEL PVC AIR FITTING	1
P-SE-2000	1" MNPT X 1" HOSE BARB- SS	1
P-WAT-2330	1" MNPT STREET TEE	1
P-WAT-2374	2" CLOSE NIPPLE -SS	1
P-WAT-2389	2" MNPT X 1" FNPT REDUCING BUSHING - SS	1
P-WAT-2668	1" MNPT HOSE X 1" BARB ELBOW 90°, SS	1
P-WAT-2816	ANGLE BODY PISTON VALVE, 2" NPT, BRONZE	1
P-WAT-3136	CAM-AND-GROOVE HOSE COUPLING SIZE 2, 2" NPT MALE	1
P-WAT-3291	2" FEMALE CAM LOCK (TYPE D), 2" FNPT, SS	1



 448 South Point Ridge, Holland, MI 49424-9771 616-494-9771 tommymcgarwash.com UNLESS OTHERWISE SPECIFIED TOLERANCES: X:± 0.1 .XX:± 0.01 .XXX:± 0.005 ANGLE:± 0.5	PART NUMBER:	P-SE-2618	REV.	1
	DESCRIPTION:	ASCO TO ANGLE BODY VALVE CONVERSION KIT FOR 40010		
	DRAWN BY:	ZK	DATE:	6/10/2026
	SCALE	1:4	SHEET	2 OF 4


HIGH PRESSURE PUMP



PART NUMBER	DESCRIPTION	QTY.
P-AIR-2170	1/4" QUICK CONNECT X 1/8" MNPT ELBOW	1
P-WAT-2333	1" CLOSE NIPPLE SS SCH. 80	1
P-WAT-2389	2" MNPT X 1" FNPT REDUCING BUSHING - SS	1
P-WAT-2397	ANGLE BODY PISTON VALVE, 1" NPT, BRONZE	1
P-WAT-2668	1" MNPT HOSE X 1" BARB ELBOW 90°, SS	1
P-WAT-3293	1" MALE CAM LOCK (TYPE F), 1" MNPT, SS	1
P-WAT-3760	1" FEMALE CAM LOCK (TYPE D), 1" FNPT, SS	1

ALL THREADED CONNECTIONS MUST HAVE TAPE AND THREAD SEALANT

UNDERBODY



PART NUMBER	DESCRIPTION	QTY.
P-AIR-2170	1/4" QUICK CONNECT X 1/8" MNPT ELBOW	1
P-WAT-2333	1" CLOSE NIPPLE SS SCH. 80	1
P-WAT-2389	2" MNPT X 1" FNPT REDUCING BUSHING - SS	1
P-WAT-2397	ANGLE BODY PISTON VALVE, 1" NPT, BRONZE	1
P-WAT-2668	1" MNPT HOSE X 1" BARB ELBOW 90°, SS	1
P-WAT-3293	1" MALE CAM LOCK (TYPE F), 1" MNPT, SS	1
P-WAT-3760	1" FEMALE CAM LOCK (TYPE D), 1" FNPT, SS	1





448 South Point Ridge, Holland, MI
616-494-9771 tommycarwash.com

UNLESS OTHERWISE SPECIFIED TOLERANCES:
X:± 0.1
.XX:± 0.01
.XXX:± 0.005
ANGLE:± 0.5

PART NUMBER:	P-SE-2618	REV.	1
DESCRIPTION:	ASCO TO ANGLE BODY VALVE CONVERSION		
DRAWN BY:	ZK	DATE:	6/10/2026
SCALE:	1:4	SHEET:	3 OF 4
		KIT FOR 40010	

CONTROL PLATE

PUT ANTI-SEIZE ON FASTENERS



PART NUMBER	DESCRIPTION	QTY.
CCS-EBC018	IFM 6 PORT WIRING BLOCK W/ 5m CABLE - BLACK	1
E-HFI-232	5 PORT PNEUMATIC SOLENOID BANK - 24V	1
P-2002	3/8"-16 SS NYLON LOCK NUT	4
P-AIR-2039	1/2" MNPT X 1/2" QUICK CONNECT ADAPTER-LIQUIFIT	2
P-AIR-2089	1/2" QUICK CONNECT "Y" UNION-LIQUIFIT	1
P-AIR-2166	ARG40-N04G2H-Z MASTER AIR REGULATOR	1
P-S-0819	AIO - ASCO TO ANGLE BODY VALVE BRACKET	1
P-SE-POD-114	TURCK SINGLE LEG CABLE 0.6" HEAD	5
P-SS-1024	8-32 X 1-1/2" PHILLIPS 18-8 SS	7
P-SS-1025	#8-32 GRADE 18-8 NM SS NYLON INSERT LOCK NUT	7
P-SS-1043	3/8" 18-8 SMALL OD FLAT WASHER, SS	4
P-SS-1070	#8 18-8 SMALL OD FLAT WASHER, SS	7
P-WAT-2803	SQUARE U-BOLT 3/8"-16 THREAD, 3" INSIDE WIDTH, 4-5/8" HIGH, SS	2